

MSDS For Potassium Hydroxide, 40% w/v Catalog # 7641A

Medical Chemical Corp. 19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800

FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

Section I - Product Identification

An aqueous solution of potassium hydroxide.

Section II - Hazards Identification

Overview: May be harmful if swallowed. May be irritating to skin and eyes.

Safety Ratings

Health: Hazardous Flammability: None Reactivity: None Contact: Hazardous


Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: General storage

NFPA Ratings

Health = 2 Flammability = 0 Reactivity = 0

Potential Health Effects



Inhalation: Irritating to mucous membranes. Can cause burns and pulmonary edema.

Ingestion: Ingestion can cause burns to throat esophagus and stomach.

Skin contact: Irritating. Prolonged contact can cause yellowing and burning of skin.

Eye contact: Corrosive. May cause permanent eye injury.

Chronic Exposure: Unknown

Aggravation of preexisting conditions: Unknown

Section III- Composition/Information on Components

Ingredients	CAS#	OSHA Pel	ACGIH TLV	%
Potassium hydroxide	1310-58-3	2 mg/m3 ceiling	2 mg/m3 ceiling	40% w/v

Section IV - First Aid Measures

Inhalation: Because of the low vapor pressure, inhalation is unlikely to be a problem.

Ingestion: Do not induce vomiting. If the victim is conscious administer large amounts of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Skin Contact: Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: Rinse thoroughly with running water. Get immediate medical advice.



Section V - Fire Fighting Measures

Flash point: Not applicable. Flammable: Not applicable.

Explosion: Not Normally an explosion hazards.

Fire Extinguishing Media: Any means suitable for surrounding fire.

Special information: Pyrolysis will release corrosive oxides.

Section VI - Accidental Release Measures

Absorb with a suitable absorbent (such as paper towels) and store in a suitable container for disposal.

Section VII - Handling and Storage

Store in a closed container, protected from freezing.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section III.

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are recommended as part of good laboratory practice.

Section IX - Physical and Chemical Properties

Boiling Point: 101°C

Vapor pressure (mm Hg): 18 @ 20°C

Vapor Density (air = 1): 0.6

Appearance and Odor: A clear colorless liquid.

Density: 1.26 g/ml

Evaporation Rate (water = 1): 1

Solubility: Infinitely miscible with water

Section X - Stability and Reactivity

Stability: Freezes at low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Nothing unusual.

Conditions to avoid: Excessive cold/heat and light.

Section XI - Toxicological Information

Potassium hydroxide is corrosive to skin.

Cancer lists

<u>Ingredient</u> <u>Known Carcinogenicity?</u> <u>Anticipated?</u> <u>IARC Category</u>

Potassium Hydroxide no no none

Section XII - Ecological Information

Environmental Fate: Biodegradable Environmental Toxicity: None

Section - XIII Disposal Considerations

Usually not restricted. However, local governments have wide latitude to restrict the amounts of anything that may be flushed down the drain. Typically the pH of the sewage outflow from a building is restricted to Between 4 and 10. Insure compliance with all government regulations.

Section - XIV Transportation Information

DOT Shipping name: Potassium hydroxide solution. Hazard Class: 8 Packing Group: II

DOT Hazard label: Corrosive DOT Identification Number: UN1814

Bottles smaller than 32 Fl. Oz. are eligible to be shipped under ORM-D or limited quantity exemptions [49 CFR section 173.154(b) and 173.154(C)].

Section - XV Regulatory Information

Chemical Inventory Status

IngredientTSCAECPotassium HydroxideYesYes

Federal, State and International Regulations

<u>SARA 302</u> <u>SARA 313</u> <u>RCRA TSCA</u>

Ingredient RQ TPQ List Category 261.33 8(D) Ca. Prop 65

Potassium Hydroxide No No No No No No No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No

SARA 311/312: Acute: Yes, Chronic: Yes, Flammable: No

Section - XVI Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: Jan. 20, 2014